| · · · · · · · · · · · · · · · · · · · | , | |
|--|--|------------------|
| | Application No. | Applicant(s) |
| Notice of Allowability | 10/796,445 | GUISINGER ET AL. |
| | Examiner | Art Unit |
| | Amy R. Cohen | 2859 |
| The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. | | |
| 1. This communication is responsive to <u>3/23/2005</u> . | | |
| 2. The allowed claim(s) is/are <u>1-31</u> . | | |
| 3. ☑ The drawings filed on <u>09 March 2004</u> are accepted by the Examiner. | | |
| 4. | | |
| Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material | 6. ☐ Interview Summary Paper No./Mail Dat 8), 7. ☐ Examiner's Amendr | te |

Art Unit: 2859

DETAILED ACTION

Allowable Subject Matter

1. Claims 1-31 are allowed.

Reasons for Allowance

2. The following is an examiner's statement of reasons for allowance:

The prior art of record does not disclose or suggest a critical temperature indicator which provides an irreversible visual indication that the indicator has been exposed to a predetermined critical temperature, which includes: a mixture of water, latex, and ice nucleating active microorganism in combination with the remaining limitations of the claims.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Response to Arguments

3. Applicant's arguments, see Remarks, filed March 23, 2005, with respect to claims 1-31, specifically independent claims 1, 12, and 22 have been fully considered and are persuasive. The rejection of claims 1-31 has been withdrawn and an allowance is given.

Conclusion

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Amy R. Cohen whose telephone number is (571) 272-2238. The examiner can normally be reached on 8 am - 5 pm, M-F.

Application/Control Number: 10/796,445

Art Unit: 2859

Page 3

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Diego F. Gutierrez can be reached on (571) 272-2245. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

ARC May 20, 2005

> Primary Examiner Tech Center 2800